## **Categorical Exclusion and Extraordinary Circumstances Review Form**

United States Environmental Protection Agency Washington, DC 20460

I. General Information								
Project Name			WIFIA Id Number					
Baltimore City S	19113MD							
Borrower Name								
Baltimore City Department of Public Works								
Project Description								
Maintenance and expansion on the existing stormwater system in Baltimore City, Maryland, which consists of piping								
pumping stations and stormwater best management practices.  Project Location Description (street address/city/state/ZIP code; site characteristics)								
Various Locations in Baltimore City, Maryland								
				was with a Officially				
	for Envir	ronment	cal Review on this Project (If different from Res Title	Phone Number				
Name								
Alaina McCurdy			WIFIA Contact	202-564-6996				
III.A. Categorical Exclusion Eligibility (Check YES or NO) Complete the following questions in their entirety to determine if the project is eligible for a Categorical Exclusion (CATEX) pursuant to 40 CFR § 6.204(a)(1)(ii). Additionally, supporting statements and documentation can be included in Attachment 1.								
If yes to any,	Does t	he proje	ect involve actions relating to existing infrastr	ructure systems (e.g., sewer systems;				
CATEX applies	TEX applies drinking water supply systems; and stormwater systems, including combined sewer overflow systems)							
	and involve:							
	YES	NO						
	$\boxtimes$		Minor upgrading					
			Minor expansion of system capacity or replacement) of the existing system and its cornetwork and treatment system; the system drinking water; and stormwater systems, systems)	mponents (such as the sewer collection to collect, treat, store and distribute				
			Construction of new minor ancillary facilities existing facilities	s next to or on the same property as				
If yes to any,	Will the projec		t include actions that:					
CATEX does	YES	NO						
not apply		$\boxtimes$	Involve new or relocated discharges to surface	e or ground water				
		$\boxtimes$	Will likely result in the substantial increase in	the volume or the loading of pollutant				
			to the receiving water					
		$\boxtimes$	Will provide capacity to serve a population 309	% greater than the existing population				
		$\boxtimes$	Are not supported by the state, or other region	nal growth plan or strategy				
		$\boxtimes$	Directly or indirectly involve or relate to u					
			systems primarily for the purpose of future de	velopment				

EPA Page 1 of 4

Project Name				WIFIA Id Number			
Baltimore Stormwater Infrastructure Rehabilitation			ater Infrastructure Rehabilitation	19113MD			
III.B. Extraordinary Circumstances (Check YES or NO) Complete the following questions in their entirety to determine if the project involves any of the following extraordinary circumstances which would make it ineligible for a CATEX pursuant to 40 CFR § 6.204(b)(1) through (b)(10). Additionally, supporting statements and documentation can be included in Attachment 1.							
YES	NO						
	$\boxtimes$	1)	Is the action known or expected to have potentially significant environmental impacts on the quality of the human environment either individually or cumulatively over time?				
		2)	Is the action known or expected to have disproportionately high and adverse human health or environmental effects on any community, including minority communities, low-income communities, or federally-recognized Indian tribal communities?				
	$\boxtimes$	3)	Is the action known or expected to significantly affect federally listed threatened or endangered species or their critical habitat?				
		4)	Is the action known or expected to significantly affect national natural landmarks or any property with naturally significant historic, architectural, prehistoric, archaeological, or cultural value, including but not limited to, property listed on or eligible for the National Register of Historic Places?				
		5)	Is the action known or expected to significantly affect environmentally important natural resource areas such as wetlands, floodplains, significant agricultural lands, aquifer recharge zones, coastal zones, barrier islands, wild and scenic rivers, and significant fish or wildlife habitat?				
	$\boxtimes$	6)	Is the action known or expected to cause significant adverse	e air quality effects?			
		7)	Is the action known or expected to have a significant effect (industrial, commercial, agricultural, recreational, resider population, including altering the character of existing resid with state or local government, or federally-recognized Incepted and management plans?	ntial) or growth and distribution of ential areas or may not be consistent			
		8)	Is the action known or expected to significantly cause spotential environmental impacts of the proposed action?	significant public controversy about			
		9)	Is the action known or expected to be associated with provagency through an interagency agreement for a project potentially significant environmental impacts?	=			
		10)	Is the action known or expected to conflict with federal, sta recognized Indian tribe environmental resource-protection,	,			

EPA Page 2 of 4

Title o	of Proje	ct	WIFIA Id Number				
Baltim	nore S	tormwater Infrastructure Rehabilitation	19113MD				
<b>III.C. Extraordinary Circumstances Statement</b> (Check ONLY ONE box) If the responses to Section III.A indicate the project is CATEX eligible, and if a <b>NO</b> response was recorded for each of the questions in Section III.B, then no Extraordinary Circumstances are present pursuant to 40 CFR § 6.204(b) and one of the following statements should be selected.							
	1)	No extraordinary circumstances apply to the proposed action possible 6.204(b). This statement is based on either past experience with site resulting in a CATEX and/or information gathered as part of diligence review conducted at the proposed action site. Provide references in Attachment I.	similar actions at the proposed action previous NEPA or environmental due				
$\boxtimes$	2)	A statement and supporting documentation is attached explaining exist or apply to the proposed action pursuant to 40 CFR §§ 6.204					
IV. NEPA Review Determination and Responsible Official Signature							
Sections I through III must be completed to satisfy EPA's documentation requirements for CATEX eligibility. If completion of this form indicates that a CATEX <i>does apply</i> , the Responsible Official must sign below.							
Categorical Exclusion Determination The EPA finds that the proposed action is eligible for exclusion from detailed environmental review under 40 CFR § 6.204(a)(1)(ii), and will not involve any of the extraordinary circumstances delineated under 40 CFR § 6.204(b)(1) through (b)(10). Consequently, the EPA will not prepare an environmental impact statement or an environmental assessment for the proposed project. The EPA may revoke this categorical exclusion if changes in the proposed action render it ineligible for exclusion or if new evidence emerges which indicates that serious local or environmental issues exist or federal, state, or local laws would be violated.							
As the Responsible Official, I have determined that <b>this action is eligible for a Categorical Exclusion</b> per the substantive environmental review requirements under EPA regulations at 40 CFR § 6.204. Section III.C of this form has been completed providing the required Extraordinary Circumstances Statement.							
<u></u>	Signature of Responsible Official Title Date						

EPA Page **3** of **4** 

Title of Project	WIFIA Id Number
Baltimore Stormwater Infrastructure Rehabilitation	19113MD

## Attachment 1. CATEX Eligibility and/or Extraordinary Circumstances Statement(s)

The space below may be used for a statement and supporting documentation explaining CATEX eligibility why no extraordinary circumstances exist or apply to the proposed action pursuant to 40 CFR §§ 6.204(a)(1) and 6.204(b). Attach additional pages as needed.

Baltimore City has a people of color population of 72 percent, and Census Block 240054914013 has a people of color population of 92 percent. Therefore, communities with potential environmental justice concerns are present. The project does not appear to be in or cause impacts to Indian country. Most of the potentially adverse effects associated with the Project would occur during construction and would be temporary, such as construction noise, air emissions from construction vehicles, erosion from disturbed surfaces and construction vehicle traffic or traffic detours. Implementation of the project would not result in disproportionately high and adverse impacts on minority and low-income populations.

An inquiry using the U.S. Fish and Wildlife Service Information for Planning and Consultation (IPaC) tool was performed for the entirety of Baltimore City as well as for the small portion of ER-4054 that is outside of the City limits. The IPaC reports indicate that two federally listed species are listed for the project sites that may be affected by the proposed projects: the northern long-eared bat (threatened) and eastern black rail. EPA has made a no effect determination for each species and no significant impacts to biological resources are expected from the proposed projects.

Most projects will take place within existing developed facilities or within paved roadways and are not expected to result in significant impacts to the surrounding waters. Several of the projects consist of restorations of degraded streams, which impact wetlands and floodplains. Permits will be obtained from the Maryland Department of the Environment to allow the disturbances within streams and wetlands for the stream restoration activities. Following completion of the project, any disturbed wetlands floodplain areas will be restored. Portions of these projects will take place within mapped 100-year and 500-year floodplains associated with these streams as well as the larger bodies of water including the Patapsco River and the Baltimore Harbor. As such, it is not expected that the Project would impact floodplains as the proposed activities consist of stream restorations and upgrades within presently developed areas.

The Project is located within the coastal zone. EPA has determined that the proposed projects are consistent with the Coastal Zone Management Act. On February 10, 2021, the WIFIA Program received concurrence that the proposed projects are consistent with the enforceable coastal policies of the Maryland Coastal Zone Management Program.

The City of Baltimore is in non-attainment or maintenance areas for criteria pollutants including Ozone 8-hour, Particulate Matter 2.5 Annual, Carbon Monoxide, and Ozone 1-hour. The Project may cause short-term, minimal to moderate localized effects on air quality during construction activities, including dust, odors, and emissions from heavy equipment during construction activities. Construction BMPs will be used to minimize generation of these pollutants. There are no anticipated long-term air impacts from the Project and are not predicted to affect the area's attainment of air quality standards.

The project will not affect historic properties, farmland, sole source aquifers, coastal barriers, wild and scenic rivers, essential fish habitat, wilderness areas, or marine mammals.

EPA Page 4 of 4